

Product: Yellow Bees Wax

Test/Method	Typical Specifications
Appearance	Yellow or Light Brown pieces with a fine - grained, matt and non-crystalline fracture
Drop Point	61° - 65° C
Acid Value	17 to 22
Ester Value	70 to 80
Ratio number	3.3 to 4.3
Iodine Value	Less than 3
Saponification Value	87 to 102
Ceresin, Paraffin & Other Waxes	Passes Test
Glycerol & Other - Polyols	Passes Test

The above data is indicative only. Minor variations, which do not affect product performance or quality, may be expected in manufacturing.

Note:

The information contained herein is, to our best knowledge, true and accurate, but all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control. There is no implied warranty of merchantability or fitness for purpose of the product or products described herein. In submitting this information, no liability is assumed or license or other rights express or implied given with respect to any existing or pending patent, patent applications or trademarks. The observance of all legal regulations and patents is the responsibility of the user.
